

## Use of Pheromones for Clearwings

Primary Lures	Flight Dates	Species	Flight Time	Food Plants
API	2/6 - 2/7	Hornet	7 - 11am	Black Poplar, Aspen, Lombard var.
Unknown	1/7 - 3/7	Lunar Hornet	3 - 5pm	Sallow, Willow
TAB	4/5 - 2/7	Dusky	unknown	Aspen, Poplar, willow
TIP	4/5 - 2/7	Current	11 - 1 + 3 - 4	Currents
VES	4/5 - 1/8	Yellow-legged	8am onwards	Oak Stumps, Sweet Chestnut and Birch stumps
TIP	2/5 - 3/6	White Banded	7 -10am	Alder, Birches
SCO	1/7 - 4/7	Welsh	10 - 2?	Downy Birch
MYO + TIP	3/6 - 2/7	Sallow	unknown	Sallow
VES	2/5 - 4/6	Orange-tailed	unknown	Wayfaring Tree, Guilder Rose
MYO	3/6 - 4/7	Red-belted	10 - 12	Apple, Hawthorn
FOR or MYO or TIP	4/5 - 4/7	Red-tipped	9 - 4?	Willows, comes to flowers
CUL or MYO	2/5 - 1/6	Red	11 - 1 + night sweep	Large Downy + Silver Birches
API	4/6 - 2/8	Six-belted	evening	Birdsfoot Trefoil, Kidney + Horseshoe Vetches
HYL	?/6 - ?/7	Thrift	10:30 - 11:30	Thrift [place lure close to ground]
MYO	4/6 - ?/7	Fiery	unknown	Docks

Flight Dates are **weeks/month**

Allow ten minutes at least for a lure to pull from the area, often it works very quickly

Actual Kent Dates?

Fiery is fully protected so you are not allowed to look for it!

More complicated lure mixes:

Yellow-legged: VES + HYL, VES + TAB

Red-belted: MYO + API

Re-tipped: TIP + VES, MYO + TIP + VES

Fiery: MYO + TAB, MYO + API, MYO + TAB + API